



General Purpose 20' x 8' x 8'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,898	19'4.2"
	Width	2,352	7'8.6"
	Height	2,391	7'10"
Door Opening	Width	2,340	7'8"
	Height	2,280	7'5.8"
		Kilograms	Pounds
Weight	Max Gross	24,000 / 30,480	52,910 / 67,200
	Tare	2,280 / 2,280	5,030 / 5,030
	Max Payload	21,720 / 28,200	47,880 / 62,170
		Cube Metres	Cube Feet
Internal Capacity		33.2	1,171



General Purpose 40' x 8' x 8'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,024	39'5.7"
	Width	2,352	7'8.5"
	Height	2,390	7'10"
Door Opening	Width	2,340	7'8"
	Height	2,280	7'5.8"
		Kilograms	Pounds
Weight	Max Gross	30,480	70,040
	Tare	3,830	8,450
	Max Payload	26,650	58,750
		Cube Metres	Cube Feet
Internal Capacity		67.7	2,390



High Cube 40' x 8' x 9'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,031	39'5.6"
	Width	2,352	7'8.5"
	Height	2,698	8'10"
Door Opening	Width	2,340	7'8.1"
	Height	2,585	8'5.8"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	3,980	8,755
	Max Payload	26,500	58,425
		Cube Metres	Cube Feet
Internal Capacity		76.3	2,694



High Cube 45' x 8' x 9'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	13,544	44'6.7"
	Width	2,352	7'8.5"
	Height	2,698	8'10"
Door Opening	Width	2,340	7'8.1"
	Height	2,585	8'5.8"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,200
	Tare	4,800	10,580
	Max Payload	25,680	56,620
		Cube Metres	Cube Feet
Internal Capacity		86	3,040



Open Top 20' x 8' x 8'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	5,897	19'4.2"
	Width	2,352	7'8.6"
	Height	2,348	7'8.4"
Door Opening	Width	2,340	7'8.1"
	Height	2,280	7'5.8"
Roof Aperture	Length	5,674	18'7.4"
	Width	2,232	7'3.9"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,196
	Tare	2,260	4,982
	Max Payload	28,220	62,214
		Cube Metres	Cube Feet
Internal Capacity		32.7	1,155



Open Top 40' x 8' x 8'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,032	39'5.7"
	Width	2,352	7'8.6"
	Height	2,348	7'8.4"
Door Opening	Width	2,340	7'8.1"
	Height	2,280	7'5.8"
Roof Aperture	Length	11,798	38'8.5"
	Width	2,232	7'3.9"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,196
	Tare	3,980	8,774
	Max Payload	26,500	58,422
		Cubic Metres	Cubic Feet
Internal Capacity		66.7	2,356



Open Top (OQ) 40' x 8' x 9'6"

		Steel	
		Millimetres	Feet
Internal Dimensions	Length	12,032	39'5.7"
	Width	2,352	7'8.6"
	Height	2,653	8'8.3"
Door Opening	Width	2,340	7'8.1"
	Height	2,585	8'5.8"
Roof Aperture	Length	11,798	38'8.5"
	Width	2,192	7'3.3"
		Kilograms	Pounds
Weight	Max Gross	30,480	67,197
	Tare	3,910	8,620
	Max Payload	26,570	58,577
		Cubic Metres	Cubic Feet
Internal Capacity		75.1	2,652